

Certificate of
constancy of performance
0063-CPR-300398-1



Issued	2026-08-17	Replaces	1
First issued	2026-08-17	Page	1 of 2

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Gorter® RHTEI fire-resistant roof hatch

Scope of certification: Fire-resistant roof hatch providing access to or from the roof.

placed on the market under the name or trademark of

Gorter Group B.V.

and produced in the manufacturing plant(s):

A001

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

ETA 19/0680, issued on 28/10/2019

and

EAD 020011-00-0405

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on 17-08-2026 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Wim van Loon
Managing Director Nederland

Publication of this certificate is permitted.
Consult www.kiwa.com in order to ensure that this certificate is still valid.

Gorter® RHTEI fire-resistant roof hatch

SCOPE

Identification and intended use	Construction product parameters	Level / Class
Manually operated fire-resistant roof hatch for access to or from the roof surface (flat or pitched up to 30°).	Fire resistance	E : 120 minutes EI ₁ : 120 minutes EI ₂ : 120 minutes